



# **VALVE HEAD W9 TYPE B (PTFE)**

ART. NO. 855547

## **GENERAL**



The KEOFITT CLASSIC W9 Sampling Valve is the original and leading sterilizable sampling valve in the world. Used in all industries for decades. + 320 standard valve configurations. Unique serial no. for each valve ("E" = internal electro



The sampling valve can be used for any process sampling for microbiological, chemical and/or physical analysis.



Cleaning/sterilizing: Between batches: Valve in open position: Cleanable by means of CIP using the detergent solution suitable for the actual process media (EHEDG certificate available). Between samples: Valve in its normal closed position: cleanable by CIP as "Between batches" or the valve may be sterilized by means of steam SIP (EHEDG test report available) or chemical SIP using a procedure appropriate to the actual circumstances. For further advice, please contact Keofitt.

Not recommended for autoclave due to plastic parts.



Designed for sampling of liquids with a viscosity of up to approx. 1.000 cP containing no particles larger than Ø3 mm. Sampling of more viscous liquids is possible, only will it take longer (depending on process pressure).

Operation: Turn knob - no spring (open left)

## **FEATURES**



Installation: Threaded connection

Depending on choice of valve body



# **CERTIFICATION\***

· Conforms to 3-A · EHEDG CIP · EU 1935/2004

# **TECHNICAL DATA**

## Material (product contact)

PTFE (TFM 1600 - white) Membrane

## **Material (without product contact)**

· Steel parts AISI 303L (1.4305) · Steel parts AISI 316L (1.4404) Knob PTFE (TFM 1600 - white)

#### Membrane

PTFE, WHITE (# 850055) · Article · Certification\* FDA · USP · EU 1935/2004

#### **Pressure & Temperature**

· Pressure 0 - 12 bar (g) / 0 - 174 psi (g)  $\cdot \, \mathsf{Temperature}$ 1-150°C/34-302° F · Air supply


### **Net Weight**

· Kg/lbs 0,237 kg / 0,55 lbs

#### **Spareparts**

778541 PARTS FOR W9 HEAD 855541/42/43/47







Connection bodies	Thread		0	850031	isonboi uo		3SONDOJ UO	
	Clamp 2"	O		850003	850005		3Sənbəs uo	
	Clamp 1"			850021	850022	850025		850024
	Mini Clamp	0		850036	850039		³s <sub>∂nb∂J</sub> u <sub>O</sub>	
	Varivent Ø68	O		850009	850013	0	3Sənbə <sub>J</sub> uO	
	Varivent Ø50	0		820008	isənbəl 40		3SƏNDƏJ UO	
Welding bodies	Pipe Welding	O		850014	³s <sub>∂nb∂</sub> , uo			850018
	Pipe Welding	0		850011	850010	0		850016
	Tank Welding	O		850001	850006			850015
		Hoses Piece			Mlni Clamp		Thread M16x1,5	
M O HEVDS								