





## VALVE HEAD W9 TYPE H W/MICRO PORT EPDM

ART. NO. 600048E

### GENERAL

-  The KEOFITT CLASSIC W9 Sampling Valve is the original and leading sterilizable sampling valve in the world market. Used across all industries from breweries to bio-pharm for decades. More than 320 standard valve configurations available.
-  The product to be sampled should have a maximum viscosity of 0-1.000 cP and should not contain particles larger than 2 mm diameter
-  The valve can be cleaned by means of SIP and/or CIP through the open valve seat
-  The sampling valve can be used for any process sampling for microbiological, chemical and/or physical analysis

### FEATURES

-  Installation: Screwed in valve body
-  Operation: Turn knob with Microport option
-  Depending on choice of valve body
-  Membrane: EPDM (Silicone available)

### CERTIFICATION

· Conforms to 3-A · EHEDG CIP · EU 1935/2004

### TECHNICAL DATA

#### Material (product contact)

· Membrane EPDM

#### Material (without product contact)

· Steel parts AISI 303L (1.4305)  
· Steel parts AISI 316L (1.4404)  
· Knob HDPE (black)

#### Surface Treatment

· Outer Surface Electropolished

#### Pressure & Temperature

· Pressure 0 - 6 bar (g) / 0 - 87 psi (g)  
· Temperature 1 - 130° C / 34 - 266° F

#### Net Weight

· Kg/lbs 0,221 kg / 0,49 lbs

#### Spareparts

776048 PARTS FOR W9 HEAD 600048/49

